




January 1 – December 2, 2017

Epidemiology Bureau
Public Health Surveillance Division

TRENDS IN THE PHILIPPINES

This report summarizes the Influenza-like Illness (ILI) surveillance activities nationwide. A total of **113,962** Influenza-like Illness cases were reported nationwide from January 1 to December 2, 2017. This is **14.21%** lower compared to the same time period last year (**132,836**). For Influenza cases, a total of **220** confirmed cases were reported nationwide from January 1 to December 2, 2017. This is **15.06%** lower compared to the same time period last year (**259**).

Fig. 1 Confirmed Influenza Cases by Morbidity Week 2017* vs 2016, Philippines, as of January 1- December 2, 2017 (N=220)



GEOGRAPHIC DISTRIBUTION


The number of confirmed influenza cases vary by region. Table 1 shows the distribution of reported confirmed influenza cases and deaths by region in comparison to the same time period last year. Majority of the reported confirmed influenza cases came from NCR (81 cases, 36.82%), CAR (49 cases, 22.27%) and Region V (33 cases, 15.%) as shown in Figure 2. No reported deaths among the confirmed influenza cases.

Table 1. Confirmed Influenza Cases by Region 2017* vs 2016, Philippines, as of January 1-December 2, 2017 (N=220)

Region	Cases			Deaths			
	2017	2016	% Change	2017	CFR (%)	2016	CFR (%)
I	0	0	⇒ 0.00	0	0.00	0	0.00
II	0	0	⇒ 0.00	0	0.00	0	0.00
III	1	0	↑ 100.00	0	0.00	0	0.00
IV-A	0	0	⇒ 0.00	0	0.00	0	0.00
MIMAROPA	1	0	↑ 100.00	0	0.00	0	0.00
V	33	17	↑ 94.12	0	0.00	0	0.00
VI	0	0	⇒ 0.00	0	0.00	0	0.00
VII	13	0	↑ 1,300.00	0	0.00	0	0.00
VIII	0	0	⇒ 0.00	0	0.00	0	0.00
IX	31	84	↓ -63.10	0	0.00	0	0.00
X	0	0	⇒ 0.00	0	0.00	0	0.00
XI	0	0	⇒ 0.00	0	0.00	0	0.00
XII	11	17	↓ -35.29	0	0.00	0	0.00
ARMM	0	0	⇒ 0.00	0	0.00	0	0.00
CAR	49	72	↓ -31.94	0	0.00	0	0.00
CARAGA	0	0	⇒ 0.00	0	0.00	0	0.00
NCR	81	69	↑ 17.39	0	0.00	0	0.00
PHILIPPINES	220	259	↓ -15.06	0	0.00	0	0.00

Fig. 2 Confirmed Influenza Cases by Region, Philippines, as of January 1-December 2, 2017 (N=220)

Legend - CONFIRMEDCASE
1 Dot = 1






January 1 – December 2, 2017

Epidemiology Bureau
Public Health Surveillance Division

PROFILE OF CASES

In Figure 3, there are 111 (50.45%) males and 109 (49.55%) females and majority of the confirmed influenza cases belonged to the 1 to 4 age group with 92 (41.82%) cases and median of 4 years old.


Fig. 3 Confirmed Influenza Cases by Age Group & Sex, Philippines, as of January 1- December 2, 2017 (N=220)



INFLUENZA TYPE IN THE PHILIPPINES

Among the confirmed influenza cases, top Influenza types are as follows (Figure 4): *Influenza A/California/7/2009(H1N1)-like* (109 cases, 49.55%), *Influenza A/Perth/16/2009(H3N2)-like* (24 cases, 10.91%), *Influenza B/Yamagata/16/88- like* (15 cases, 6.82%) and *INFLUENZA B* (13 cases, 5.91%).

Fig. 4 Organism of Confirmed Influenza Cases, Philippines, as of January 1- December 2, 2017 (N=220)






January 1 – December 2, 2017


Epidemiology Bureau
Public Health Surveillance Division

Editorial Board


IRMA L. ASUNCION, MD, MHA, CESO IV
Director IV, Epidemiology Bureau


GENESIS MAY J. SAMONTE, MD, MSc, PHSAE
OIC-Division Chief, PHSD


JUNE CANTATA B. CORPUZ, RN
Nurse III, PIDS National Coordinator


JEZZA JONAH D. CRUCENA, RN
Nurse III, VPDS National Coordinator